that the speed, date on the inste evas Wecember 29, 1964. SA. Called MR. Long 12-27-65. He stated Recuentel . Send in reports, (mailet forms to him this date) emp

Phone number	359-2402
FILE NOTATIONS	20.00
Entered in NID File	Checked by Chief
Entered On S R Sheet	Cepy NID to Field Office
Location Map Pinned	Appreval Letter
Card Indexed	Disapproval Letter
I W R for State or Fee Land	
COMPLETION DATA:	
Date Well Completed	Location Inspected
OW WW TA	Bond released
GW OS PA	State of Fee Land
LOGS	FILED
Driller's Log	
Electric Logs (No.)	and the second s
E L	GR GR-N Micro
Lot. Wil So	nia UR - Offers Cale 15
	no_

8-2490 Jep Wall Loc 1 1980

Seound Line

SEC. 5

7.245. P. 16E.

5.1. B. E.M.

SURVEYORS CERTIFICATE

I, George H. Newell certify that I am a Registered Land Surveyor as prescribed by the Laws of the State of Utah and holding certificate No. 1770 certify that this plat of a well location made by me and described as follows:

1980 feet from the North line and 1980 feet from the Fast line of Dection 15, T. 24 S., R. 16 E., SLR&M.

is true and correct to the best of my knowledge and belief.

Date December 21, 1964

George Ho Newell







CTIDATE	¥ 3.7	TOTOTIC	ATTEN
(SUBMIT	LIV	IKIPLIC	ALE)

Form 9-881a (Feb. 1951)							

UNITED STATES **DEPARTMENT OF THE INTERIOR** GEOLOGICAL SURVEY

Land Office SI	<u>,c</u>
Lease No. Utah	0140899
Unit	

SUNDRY NOTICES AND REPORTS ON WELLS

•		
NOTICE OF INTENTION TO DRILL	X _	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE	PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WAT	TER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL	OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT O	R ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR	ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON	WELL	
(INDICA	ATE ABOVE BY CHECK MARK NATU	JRE OF REPORT, NOTICE, OR OTHER DATA)
		December 29 , 196
Vell No. 1 is loca SW1 NE1 15 (14 Sec. and Sec. No.)	(line and 1980 ft. from $\frac{E}{KK}$ line of sec. 15. S.L.M. (Merdian)
Wildcat	Emery	division) (State of Territory)
(Fleld)	(County or Sub	division) (State of Territory)
he elevation of the derrick	t floor above sea level i DETAILS	
		OI WORK
itate names of and expected depths t		
Orill with Rotary Size of Hole 11" Size of Casing $9\frac{5}{8}$ 'Vt. per foot 26#	o objective sands; show sizes, we ing points, and all other into a depth of	cement50+ sackscirculated.
Orill with Rotary Size of Hole 11" Size of Casing 9\frac{5}{8}' Vt. per foot 26# Casing depth 158'	to a depth of	sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030 +objectiveCoconino s
Orill with Rotary Size of Hole 11" Size of Casing 958 Vt. per foot 26# Casing depth 158' Vell drilled by a	o objective sands; show sizes, we ing points, and all other in a depth of a d	sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030 +objectiveCoconino s
Orill with Rotary Size of Hole 11" Size of Casing 958' Vt. per foot 26# Casing depth 158' Vell drilled by a	o objective sands; show sizes, we ing points, and all other to a depth of a d	sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030 +objectiveCoconino s
Orill with Rotary Size of Hole 11" Size of Casing 9\frac{5}{8}' It. per foot 26# Casing depth 158' Vell drilled by a	o objective sands; show sizes, we ing points, and all other to a depth of a d	cights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030
Orill with Rotary Size of Hole 11" Size of Casing 958' Vt. per foot 26# Casing depth 158' Vell drilled by a	o objective sands; show sizes, we ing points, and all other to a depth of a d	sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030 † +objectiveCoconino s cement50+ sackscirculated.
Orill with Rotary Size of Hole 11" Size of Casing 958 Vt. per foot 26# Casing depth 158' Vell drilled by a	o objective sands; show sizes, we ing points, and all other to a depth of to a depth of the control of the cont	sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030
Orill with Rotary Size of Hole 11" Size of Casing 958' Vt. per foot 26# Casing depth 158' Vell drilled by a	o objective sands; show sizes, we ing points, and all other to a depth of a d	sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030
Orill with Rotary Size of Hole 11" Size of Casing 958 Wt. per foot 26# Casing depth 158' Well drilled by a	o objective sands; show sizes, we ing points, and all other to a depth of to a depth of the control of the cont	sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030
Orill with Rotary Size of Hole 11" Size of Casing 958 Vt. per foot 26# Casing depth 158' Vell drilled by a	o objective sands; show sizes, we ing points, and all other to a depth of to a depth of the control of the cont	sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030
Orill with Rotary Size of Hole 11" Size of Casing 95 Vt. per foot 26# Casing depth 158' Vell drilled by a Expected tops.	o objective sands; show sizes, we ing points, and all other to a depth of to a depth of the control of the cont	sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030
Orill with Rotary Size of Hole 11" Size of Casing 95/8" It. per foot 26# Casing depth 158' Yell drilled by a Expected tops.	o objective sands; show sizes, we ing points, and all other to a depth of to a depth of the ir and all other	sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030; +objectiveCoconino s cement50+ sackscirculated. 360; 300; ng by the Geological Survey before operations may be commenced.
Drill with Rotary Size of Hole 11" Size of Casing 958 Wt. per foot 26# Casing depth 158' Well drilled by a Expected tops.	o objective sands; show sizes, we ing points, and all other to a depth of to a depth of the ir and all other	sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030; +objectiveCoconino s cement50+ sackscirculated. 360; 300; ng by the Geological Survey before operations may be commenced.
Drill with Rotary Size of Hole 11" Size of Casing 958 Wt. per foot 26# Casing depth 158' Well drilled by a: Expected tops. I understand that this plan of wor	o objective sands; show sizes, we ing points, and all other it o a depth of it o a depth of it o	sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030
Drill with Rotary Size of Hole 11" Size of Casing 958 Wt. per foot 26# Casing depth 158' Well drilled by a: Expected tops. I understand that this plan of wor	o objective sands; show sizes, we ing points, and all other to a depth of to a depth of the ir and all other	sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030
Orill with Rotary Size of Hole 11" Size of Casing 95 Vt. per foot 26# Casing depth 158' Vell drilled by an Expected tops. I understand that this plan of work Company U-Tex Oil ddress 1112 Walke	o objective sands; show sizes, we ing points, and all other it o a depth of it o a depth of it o	sights, and lengths of proposed casings; indicate mudding jobs, come important proposed work) 2030

FIM-IN INPLICATE

OIL & GAS CONSERVATION COMMISSION OF THE STATE OF UTAH

DESIGNATION OF AGENT

The undersigned producer, operator, transporter, refiner, gasoline or initial purchaser who is conducting oil and/or gas operations in the State of Utah, does, pursuant to the Rules and Regulations, and Rules of Practice and Procedure of the Oil and Gas Conservation Commission of the State of Utah, hereby appoint, Delbert R. Long, whose address is P. O. Box 595 MOAD UTAH, (his, kaxxxxxxxx) designated agent to accept and to be served with notices from said Commission, or from other persons authorized under the Oil and Gas Conservation Act of the State of Utah.

The undersigned further agrees to immediately report in writing, all changes of address of the agent, and any termination of the agent's authority, and in the latter case, the designation of a new agent or agents shall be immediately made. This designation of agent, however, shall remain in full force and effect until and unless a new designation agent is filed in accordance with said statute and said regulations.

Effective Date of Designation January 2. 1965

Company_	Roy	Pledger	_ Addre	ss <u>616 Coll</u>	ege Highway	Evansville.
_	7					Indiana
By /	071	Sedar	Title	Oune	<u>/ </u>	·
	/ (Š	ignature) 🖊				

NOTE: Agent must be a resident of Utah.



Budget Bureau No. 42-R358,4. Form Approved.

Land Office	LC
-------------	----

Loase No. Utali 0140899

•

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

(SUBMIT IN TRIPLICATE)

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF WATER SHUT-OFF SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
(INDICATE ABOVE BY CHECK M.	ARK NAT	URE OF REPORT, NOTICE, OR OTHER DATA)

Well No. is located 1980 ft. from $\begin{Bmatrix} N \\ S \end{Bmatrix}$ line and 1980 ft. from $\begin{Bmatrix} E \\ W \end{Bmatrix}$ line of sec. 15.

SW 1 NS 1 15 248 166 S.L.B. & M.

(4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

W11deat (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4282 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The above mentioned well was drilled to the Coconine Sand at a total depth of 2226' with all formations dry. Vell is to be despend to a depth of 6000' or production, whichever is encountered first, a middle Paradox Test.

Approval from U. S. Geological Survey received December 29, 1964. Operator changed from U-Tex Gil Company to Rey Pledger offective January 1, 1965.

I understar	d that this plan of work must receive approval in v	writing by the Geological Survey before operations may be commenced.
Company .	Rey Pledger	
Address	616 College Highway	By Ledgel
	Wysneyille, Indiana	
		Title Const

Schurday 2, Jan A. L. Coonto. for the well in Emery County. The well was approved first with Utey as apprecation, then Roy Pledger from Indiana has taken over and mude Del Long his Wah agent. L'agent. L'approve the will with the provision all the alle neurony ligal paraphenalia has hem taken care of. Klang

January 5, 1965

Mr. Roy Pledger 616 College Highway Evenswille, Indiana

Re: Motice of Intention to Drill Well Mo. FEDERAL #1, 1980' FML & 1980' FEL, Sec. 15, T. 24 S., R. 16 E., Emery County, Utah.

Dear Mr. Pledger:

This letter is to confirm the verbal approval to drill the above mentioned well granted by Mr. Harvey L. Coonts on January 2, 1965. However, this approval is conditional upon a surveyor's plat being furnished this office in accordance with Rule C-4(a), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil & Gas Conservation Commission.

As soon as you have determined that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL, Chief Petroleum Engineer Office: DA 8-5771, DA 8-5772 or DA 8-5773 Home: CR 7-2890 - Salt Lake City, Utah

Enclosed please find Form OGCC-8-X, which is to completed if water sands (aquifers) are encountered while drilling, particularly assessable near surface water sands. Your cooperation with respect to completing this form will be greatly appreciated.

Very truly yours,
OIL & GAS CONSERVATION COMMISSION

CLEON B. FRIGHT EXECUTIVE DIRECTOR

CBF: sch

cc: Rodney Smith, Dist. Eng., V. S. Goological Survey, Salt Lake City, Vtah

Mervey L. Coomts, Pet. Eng., Gil & Gas Conservation Commission, Mesb, Utah



UNITED STATES SUBMIT DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUBMIT IN DUPLICATION (See other instructions on reverse side)

Form approved.


Budget Buzeau No. 42 R355.5.

ons on side)

5. LEASE DESIGNATION AND SERIAL NO.

Utah 0140817

. TYPE OF WELL	== • • .	R RECOMPLETIC	ON REPOR	CI AND LOC	j "	LOTTER OR TRIBE NAME
	WELL OIL	GAS DRY	Other		7. UNIT AGREBME	NT NAMB
TYPE OF COMP	· ·		, — VIII.		Roy Ple	ന് അന്
WELL X	WORK DEEP- DEEP-	PLUG DIFF. BESVR.	Other I	a the proc	985 S. PARM, OR LEAS	
NAME OF OPERATO)R		OI DI	eing teste	Ruby	
Roy	Pledger		4		9. WELL NO.	
ADDRESS OF CORE	LTOS.				# 255	
616	College His	thway Evansy	dlle. I	ndiana	16. FIRLS AND PO	OCL, OR WILDCAT
At surface 19		80' W/E. Sec			WC .	
19,	SU SYN, 19	700 W/E, 360	1. 15 (si	N NE)	11. SEC. T. R., M OR AREA	OR BLOCK AND SURVEY
At top prod. inter	rval reported below Known				Sec. 15-	245-10E. SLA
At total depth						
In	process of	being 14. PERM	IT NO.	DATE ISSUED	, 12. COUNTY OR	- 13. STATE
	ed above TI			12-29-6	Linery	Utan
DATE SPUDDED	18. DATE T.D. REACH!	ED 17. DATE COMPL. (Re	eady to prod.)	18. BLEVATIONS (DI	, REB, RT, GH, ETC.) *- 19	
	Jan, 25, 1					4272
TOTAL DEPTH, MD &		H	F MULTIPLE CON IOW MANY		LED BY	CARLE TOOLS
4617		ON 6 Letion—Top, Bottom, NA	unknown		→ X	
						25. WAS DESCTIONAL SURVEY MADE
rend	rugcebenc	ling on prese	mt testi	rug -	5.86 J. W. W. L.	lax. 12 Dev.
TYPE ELECTRIC AN	O OTHER LOGS RUN					VO CONTINUOUS
		mic, Micro-L			V 1	no
LILIUI ALELY -1	AGU VA DALA SU	CASING RECORD				
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE		INTING RECORD	1 AMOUNT PULLED
5/8	?	158	10:3/4	55 ax (irc. to surf	none
5 1/2		4600	7 3/8		eing cemented	
-				4 . 5 . 7	present)	
			·			
		R RECORD		1 30.		
					TUBING RECORD	
SIZE	, ,	FOM (MD) SACKS CEME	NT* SCREEN		DEPTH SET (MD)	PACKER SET (MD)
SIZE	(none) Born	TOM (MD) SACKS CEME	NT* SCREEN			PACKER SET (MD)
	, ,			(MD) SIZE	(none yet)	
PERFORATION RECO	(none)	d number)	32.	AQID, SHOT,	DEPTH SET (MD) (none Yet) FRACTURE CEMENT SQ	UFEZÉ, ETG.
one-to	(none) RD (Interval, size and	number)	a2. DEPTH	AOID SHOT,	(none yet)	UFEZÉ, ETG.
perforation reco	(none)	number)	a2. DEPTH	AQID, SHOT,	DEPTH SET (MD) (none Yet) FRACTURE CEMENT SQ	UFEZÉ, ETG.
PERFORATION RECO	(none) RD (Interval, size and	number)	a2. DEPTH	AOID SHOT,	DEPTH SET (MD) (none Yet) FRACTURE CEMENT SQ	UFEZÉ, ETG.
one-to	(none) RD (Interval, size and	number)	a2. DEPTH	AOID SHOT, INTERVAL (MD) IOITO Vet	DEPTH SET (MD) (none Yet) FRACTURE CEMENT SQ	UFEZÉ, ETG.
perforation second one to and o	(none) RD (Interval, size and be done whe coment hard	d number) en cag. is run	n 82. DEPTH PRODUCTION	AOID, SHOT, INTERVAL (MD) IONO Yet	DEPTH SET (MD) (11019 Yet) FRACTURE CEMENT SQI AMOUNT AND KISD OF	USEZE ETC. MATRIAL USED
perforation second one—to the and construction of the second of the seco	(none) RD (Interval, size and be done whe coment hard	d number) en cag. is run	n 82. DEPTH PRODUCTION	AOID, SHOT, INTERVAL (MD) IONO Yet	DEPTH SET (MD) (HOND Yet) FRACTURE, CEMENT SQ AMOUNE AND KIND OF STATE	USEZE, ETG. MATRIAL USED US (Producing or
PERFORATION RECO	(none) RD (Interval, size and the done whe coment hard	en cog. is runions	PRODUCTION	AOID SHOT, INTERVAL (MD) IOIIS YSt	DEPTH SET (MD) (HONG Yet) FRACTURE CEMENT SQ AMOUNE AND KIND OF BANG REAL STATE Shut-in) [2013]	USEZE, ETG. MATRIAL USED US (Producing or 15 Completed
PERFORATION RECO	(none) RD (Interval, size and the done whe coment hard	d number) en cag. is run	PRODUCTION ift, pumping -s	AOID SHOT, INTERVAL (MD) IOII Yet	DEPTH SET (MD) (HONG Yet) FRACTURE CEMENT SQ AMOUNE AND KIND OF BANG REAL STATE Shut-in) [2013]	USEZE, ETG. MATRIAL USED US (Producing or
PERFORATION RECOIDED TO THE PRODUCTION OF THE TENT	RD (Interval, size date to done whe coment hard	on Cog. is runder) METHOD (Flowing, gas Leading) CHOKE SIZE PROD'N, F	PRODUCTION lift, pumping—s OR OIL—BB	AOID SHOT, INTERVAL (MD) IOIIO Vet	DEPTH SET (MD) (11019 Yet) FRACTURE CEMENT SQ AMOUNT AND KIND OF WELL STAT Shutch POLITY WATER BB.	USEZE ETG. MATRIAL USED US (Producing or IE COMPLETED
PERFORATION EECONOMIC ON CONTROL OF TREE	RD (Interval, size and De done whe Cement hard N PRODUCTION HOURS TESTED C	en Cag. 1s run ions Method (Flowing, gas le Choke Size Prod'n, p	PRODUCTION lift, pumping—s OR OIL—BB	AQID, SHOT, INTERVAL (MD) IONO Yet Lize and type of pump	DEPTH SET (MD) (HONG Yet) FRACTURE CEMENT SQ AMOUNE AND KIND OF Shut-in) Qui	USEZE, ETG. MATRIAL USED US (Producing or 15 Completed
PERFORATION RECOIDED TO THE PERFORATION RECOIDED TO THE PERFORMANCE OF TEST OF THE PERFORMANCE OF THE PERFOR	RD (Interval, size and De done whe Cement hard N PRODUCTION HOURS TESTED C	METHOD (Flowing, gas letter between the size Prod'n. First per l	PRODUCTION lift, pumping—s OR OIL—BB	AOID SHOT, INTERVAL (MD) IOITO Yet L. GAS—MCF.	DEPTH SET (MD) (11018 Yet) (11018 Yet) FRACTURE CEMENT SQ AMOUNT AND KISD OF	USEZE, ETG. MATERIAL USED US (Producing or IS COMPLETED GRAVITY-ART (CORR.) DE GET CITTLE
PERFORATION RECOID ON COIN COIN COIN COIN COIN COIN COIN C	RD (Interval, size due de done whe coment hiard	METHOD (Flowing, gas letter between the size Prod'n. First per l	PRODUCTION lift, pumping—s OR OIL—BB	AQID, SHOT, INTERVAL (MD) IONO Yet Lize and type of pump	DEPTH SET (MD) (HONG Yet) FRACTURE CEMENT SQ AMOUNE AND KIND OF Shut-in) Qui	USEZE, ETG. MATERIAL USED US (Producing or IS COMPLETED GRAVITY-ART (CORR.) DE GET CITTLE
PERFORATION RECOID ON COIN COIN COIN COIN COIN COIN COIN C	RD (Interval, size due to done whe comen to hear done when the rd to hear done when the rd to hear done to he	METHOD (Flowing, gas letter be the size Prod'n. F TEST PER ALGULATED CIL SELA-HOUR RATE CIL SELA-HOUR RATE	PRODUCTION lift, pumping—s OR OIL—BB	AOID SHOT, INTERVAL (MD) IOITO Yet L. GAS—MCF.	DEPTH SET (MD) (HOND Yet) FRACTURE CEMENT SQ AMOUNT AND KIND OF Shat-in) Loli WITER—BBL TEST WITNESSED	USEZE, ETG. MATERIAL USED US (Producing or IS COMPLETED GRAVITY-ART (CORR.) DE GET CITTLE
PERFORATION RECORD ON COLOR OF TREE COLOR OF TREE COLOR OF GAS	RD (Interval, size and De done whe Cement hard N PRODUCTION HOURS TESTED C CASING PRESSURE C 1 (Sold, used for fuel, 1)	THOKE SIZE PROD'N. F TEST PER ALCULATED OIL—BELA-HOUR RATE PRODUCTOR RATE PRODUCTOR RATE PRODUCTOR RATE	PRODUCTION Aft, pumping - s FOR OIL—BB GAA	AGID, SHOT, INTERVAL (MD) IONE Vet	DEPTH SET (MD) (11018 Yet) (11018 Yet) FRACTURE CEMENT SQ AMOUNT AND KISD OF	USEZE ETG. MATRIAL USED US (Producing or ES COMPLETED GRAPHY-ART (CORR.) DE GETETITIES



DEPART SENT OF THE INTERIOR (Other instruction)

Form approved.

Budget Bureau No. 42-R1424. 5, LEASE DESIGNATION AND SERIAL NO.

GEOLOGICAL SURVEY

Utah 0140899


1,142,1									NELLS	
Do not	11 86	this form	for proj	osals to	drill or	to deepen	or plug	back to	a different	reservoir.

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)		
1. OIL (**) GAS (**)	7. UNIT AGREEMENT N	AME
WELL WELL OTHER Being tested for oilpossibly gas	Roy Plede	er
2. NAME OF OPERATOR Roy Pladger	S. PARM OF CRASE RATE	MIE CONTRACTOR
3. ADDRESS OF OPERADOR	9. WELL NO.	·
616 College Highway Evansyille, Indiana	#1 -	•
4. LOCATION OF WELL: (Report location clearly and in accordance with any State requirements.* See also space 17 below.)	10. FIREM AND POOL, O	R WILDCAT
At surface 1980! S/N, 1980' W/E, Sec. 15 (SW NE)	we .	
T24S, R16B, S.L.M.	11. SEC., T., E., M., OR I SURVEY OR AREA	
그 그는 그 이 그 아이를 가게 하는 것이 없다면 하는데 하는데 하는데 하는데 하는데 하는데 되었다.	Sēc. 15-2	43-16E SL
14. PERMIT NO. 15. BLEVATIONS (Show whether DF, DT, GR, etc.) (55Ued 12-29-64 4272 DF	12. COUNTY OF PARISH	Utah
6. Check Appropriate Box To Indicate Nature of Notice, Report, or C	Other Diata	
TEST WATER SHUT-OFF FULL OR ALTER CASING WATER SHUT-OFF	REPAIRING V	well
FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT	ALTERING C.	
SHOOT OR ACIDIZE ABANDON* SHOOTING OR ACIDIZING	ĀRĀNDONME	· [*]
BACCING OF ACTION	7	
REPAIR WELL CHANGE PLANS (Other)		

To be determined.

18. I hereby certify that the foregoing is true and correct			
SIGNED delbert K. Long	TITLE Agent	DATE Jan.	28, 196
(This space for Federal or State office use)			
APPROVED BY CONDITIONS OF APPROVAL, IF ANY:	TITLE	DATE	





(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	de
Budget Bureau No. Form Approved.	42-R358.4

Land	Offi	SLC
Leese	No.	Wtah 0140899
I Into		

SUNDRY NOTICES AND REPORTS ON WELLS

	SUBSEQUENT R	EPORT OF WATER SHUT-OFF		
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT R	EPORT OF SHOOTING OR ACIDIZING		
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		EPORT OF ALTERING CASING		
NOTICE OF INTENTION TO RE-DRILL OR REPAIR V		SUBSEQUENT REPORT OF ABANDONMENT.		
NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING	l ii			
NOTICE OF INTENTION TO ABANDON WELL	SUPPLEMENTAR	Y WELL HISTORY		
(INDIČATE ABOVE BY	CHECK MARK NATURE OF REPORT, I	NOTICE, OR OTHER DATA)		
	***************************************	April 14 , 19		
Vell No is located 1980	L ft. from $\left\{ \begin{bmatrix} \mathbf{N} \\ \mathbf{S}_{\mathbf{s}} \end{bmatrix} \right\}$ line and	1980 ft. from $\{\frac{E}{W}\}$ line of sec15		
	S 16E	WALKET .		
Vildcat (Twi				
(Field)	(County or Subdivision)	(State or Territory)		
tate names of and expected depths to objective sai ing pol	nds; show sizes, weights, and lengtl nts, and all other important propor	ns of proposed casings; indicate mudding jobs, can sed work)		
		[3] S. C. Carlos, S.		
Waiting on cable t	any constructor.			
Waiting on cable t	oor contractor.	i Alian Alian		
Waiting on cable t				
Waiting on cable t		, X		
Valting on cable t				
Valting on cable t				
Valting on cable t	35 th			
Valting on cable t				
	253	ical Survey before operations may be commenced.		
	253			
I understand that this plan of work must receive	approval in writing by the Geolog	ical Survey before operations may be commenced.		
I understand that this plan of work must receive	approval in writing by the Geolog			

Mr. Roy Pledger 616 College Hiway Evensville, Indiana

Re: Well No. Federal #1, Sec. 15, T. 24 S., R. 16 R., Emery County, Utah

Dear Mr. Pledger:

Our records indicate that you have not filed a Monthly Report of Operations for the month of April, 1965, for the above mentioned well. Please include the total depth, perforated intervals and formation tops on said report. Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form COCC-1b (U. S. Geological Survey Form 9-331, "Sundry Metices and Reports on Vells"), or on company forms containing substantially the same information. We are enclosing forms for your convenience.

We also have information that the cable tool rig over the hole is being moved. We would appreciate knowing your tenetative plans for this well.

Your immediate ettention is required in this matter.

Very truly yours,

OIL & GAS COMSERVATION CONCISSION

KATHY G. WARNER REGORDS GLERK

kgw; sch

Incl: Forms

This is in the Well well



PH. 253-9741 • 182 SOUTH MAIN • MOAB, UTAH

Sunday, 180422, 65

Utah State Oil eGos Conservation Com.

I.B. M. Bldg. 348 E.S.T. SL. City

Gentlemen

Re-Pleager Well Emery Co.

Went to well this am. and found rig still over the hole and B.O.P. in place. The 2"thing which was used as drill pipe was gone and somether the drill collars. No cable tools except the forge and bricks for the duck's nest. Also a Prosser swive (socket on the end of the 34" drilling line. The rotary power swivel was gone, too, but

all snow tools, winch truck, light plant, compressors etc., still theme. It would seen to bear out Mr. Pledges's statement that he intended to continue with this well quite soon and that drill another one, regardless of the outcome of the present well

Yours truly Dan They

t).

August 13, 1965 Roy Pledger 616 College Miway Evensville, Indiena Ro: Well Ho. Federal #1 Sec. 15, T. 24 S., R. 16 E., Emery County, Stah May and June, 1965 Gentlemen: Our records indicate that you have not filed a Monthly Report of Operations for the above mentioned month (s), for the subject well. Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission, requires that said reports

be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGCC-1b (U. S. Geological Survey Form 9-331, "Sundry Notices and Reports on Wells"), or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your immediate attention is required in this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

KATHY G. WARNER RECORDS CLERK

kgw

Encl: Forms August 18, 1965

Roy Pladger 616 College Elway Evensville, Indiana

> Re: Well No. Federal #1 Sec. 15, T. 24 S., R. 16 E., Emery Gounty, Utah

> > May, June and July, 1965

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the above mentioned month (s), for the subject well. Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGCC-1b (U. S. Geological Survey Form 9-331, "Sundry Notices and Reports on Wells"), or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your immediate attention is required in this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

KATHY G. WARNER RECORDS CLERK

kgw

Encl: Forms

 \mathbf{Y} that is a second of the contract of \mathbf{x} and \mathbf{y} is the second of the \mathbf{x}









UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY Branch of Oil and Ges Operations 8416 Federal Building Salt Lake City, Utch, 84111

September 16, 1965

Roy Pladger 616 College Highway Evansville, Indiana

U-Tex Oil Company Walker Bank Building Salt Lake City, Utah

Cent lemen:

According to our records you are lesses of record of Federal lesse Unsh C140899 on which Mr. Fledger drilled well 1. SWARK sec. 15. T. 24 S., R. 16 E., Embry County, Utak.


The lest sundry notice we have for this wall is dated April 14 and showed that you work "weiting on cable tool contractor." We visited the wall April 28 and found a cable tool rig on the hole, cleaning out and attempting to weach the former TD. We have no subsequent report of the work done on the hole by this latest rig or a completion log (form 9-330).

Since operations have been suspended on this hole for at least four months, you should now proceed with plans to sithin complete the wall or to properly plug and abandon it. If the wall is to be left suspended, you must submit a request for approval to further suspend the well including a reason or justification for suspension and a statument so to when you intend to remnter and complete work on the well. However, if you do not contemplate additional work on the hole to conplets it as a producer, you should submit a completion log (form 9,130) which covers all work done on the hole to date and a motion of intimtion to abendon which outlines in detail a proposed plugging program.

In the event you elect to plug the well; we would consider a plugging program such as the following or any other similar program as proper:

Pipe left in bole

- 1. 20-suck cement plug at 4600' (4 in and 4 out of 54" casing)
- 2. Casing head annulus (54" 9 5/8") squeeze with 30 sacks



4. Clean, level, and restore the location as closely as

Pipe recovered

- 1. 20-sack cement plug at 4600 (% in and) out of 510
- 2. Cut and recover pipe at approximately 2500 to 260
- 3. Place 20-sack cement plug across 51" casing stub. (4 in and 4 out of 51st casing)
- 4. Place 35-sack cement plug from 106-213' (4 in and
- 5. Place 10-sack cement plug at surface with regulation
- 6. Clean, level, and restore the location as closely as possible to its original condition.

In any event you must submit a monthly report (form 9-329) in duplicate for the months February, March, April, May, June, July, and August 1965. A composite report for the months you are delinquent would suffice. However, in the future you must submit this report on a monthly basis by the sixth of each succeeding month until the well is properly plugged and abandoned.

Prior to doing any work on this hole you must first receive our written approvel and also notify us of when you intend to do the work so we can be present to witness all or a portion of the work. Enclosed is a

Called George Brown (USGS)

on June 10, 1966 and recommended

an additional play 450-550

at brieg Parajor SS to Rodney A. Smith,

prened fresh water from

Enclosures megrating down into

cc: Delbert R. Long Everonin SS. their gene,

P. O. Box 595

Biscerely your.

Biscerely yo

8329 Willowcreek Drive Sandy, Utah

November 23, 1965

Roy Pledger 616 College Highway Evansville, Indiana

Re: Well No. Federal #1
Sec. 15, T. 24 S., R. 16 E.,
Emery County, Utah

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the above mentioned month (s), for the subject well. Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGCC-1b (U. S. Geological Survey Form 9-331, "Sundry Notices and Reports on Wells"), or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your immediate attention is required in this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANNETTE R. HANSEN RECORDS CLERK

kgw

Encl: Forms

1/3/66

Hr. Rey Pledger 616 Callege Himmy Bransville, Indiana

Duar Rogs

Both the Cil and Gas Division of the U. S. geological Survey and the Utah State Cil and Gas Commission are on my neck to get information on your heavy County, Utah well. This is information which both Federal and State laws require the Operator to file. Furthernore, the leader are in Jespardy on account of rental payments.

Also, the well is flowing some unter and the interested Government Agencies demand that it be proporly plugged. The bond which you put up when you started operations was for the purpose of guaranteeing that you would comply with all the regulations and I hope that you realize the importance of complying with the regulations.

Unless you immediately notify the Oil and One Division of the US Goological Survey. Poteral Building, Salt Lake City, that you will not in the immediate future to properly plug this well, they plan to tell your Bonding Company to do it for you; and then the Bonding Company will get it back from you. The Survey does not not as a collecting Agency.

I suggest you immediately get busy and try to straighten out this situation. It is possible that Delbert might be able to do something if you quitalain the block back to him. Both he and I feel that another wall is justified, and we both would like to see you reap some benefits from your provious efforts, but it is certain that you will not have ANI interest if you continue to not as you have in the past.

Yours traly.

15/66 Den Jack: Herewith a copy of my letter to Pleager. The Hone of the message was at the suggestion of Rod. Smith. The PAGES OF SONJE WAY 1's Theonly one I have, exceptthe one I am retaining. I think Delbert Long, in Most has one or two Jean

November 14, 1966

Roy Pledger 616 College Highway Evansville, Indiana

> Re: Well No. Federal #1, Sec. 15, T. 24 S., R. 16 E., Emery County, Utah.

> > For all Months from November, 1965 to November, 1966.

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the above mentioned month (s), for the subject well. Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGCC-1b (U. S. Geological Survey Form 9-331, "Sundry Notices and Reports on Wells"), or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your immediate attention is required in this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ASHARON CAMERON EN

arh

Enclosures: Forms







BEACON PIPE & SALVAGE CO.

Casing, Tubing, <u>Line Pipe</u> PUMPING UNITS, DEPOLIE RECEIVED BR. OF OIL & GAS COF ATIONS

JAN 3 0 1967

U. S. GEOLOGICAL SURVEY LILT LAKE CITY, UTAH

U.S.G.S.

Salt Lake City, Uyah

ROUTE 2. BOX 289-C

VERNAL, UTAH

Jan. 1967

CASING PULLING, SHOOTING, CEMENTING, ALL IN ONE PACKAGE.

PHONE 789-3403

INTEX WELL SOUTH OF GREEN RIVER. 5448-16E Roy Pledger.

Rodney Smith

. I pulled 1811 ft 52 casing badly eat up. I am sending you A picture of the well after completed. Will you send it back to as I only got one good one. Iwill move rig just as the weather permits.

Set 20 sx plug in bottom of hole.

Set 20 sx plug at stub $\frac{1}{2}$ in pipe and $\frac{1}{2}$ out.

20 sx plug at 1110 to 1150

20 sx bottom of surface.

10 sx in top for cap and marker.

Gerald Coltharp

I read this as a plugging report. In this correct?



NATURAL RESOURCES
To: Norm Stout
From: JRB
Date: 9-12-86
☐ For your information and file.
☐ For necessary action.
Reply directly to origin with a copy to this office.
Please draft a reply for signature of
and and
return by the following date
Wother I think it is
show both
of these wells as PKA
based on these map
reports.